



SportsVet Animal Medical Center
1105 N. Dunlap Ave
Savoy, IL 61874
United States
(217) 355-1442

GENERATED: 8/23/2023 7:33 AM

Client Information

Kristine Probst
12524 N 300th St
Wheeler, IL 62479
(812) 639-9855

Patient Information

<u>Name</u>	Patsy	<u>Species</u>	Canine	<u>Weight</u>	0
<u>Sex</u>	Female	<u>Breed</u>	Golden Doodle	<u>Microchip</u>	
<u>Status</u>	Active	<u>DOB</u>	6/20/2021		
<u>Id</u>	44032	<u>Age</u>	2 years 2 months		
<u>Color</u>		<u>Tag</u>			

Medical Chart from 1/1/2000 - 8/22/2023

Service on 8/22/2023

8/22/2023 1:13 PM

Document

Specialist Report

PennHIP Report

Referring Veterinarian: Dr Steve Jacobs	Clinic Name: SportsVet Animal Medical Center
Email: sportsvetamc@gmail.com	Clinic Address: 1105 N. Dunlap Savoy, IL 61874
	Phone:
	Fax:(217) 355-2508

Patient Information


Client: PROBST, KRISTINE	Tattoo Num:
Patient Name: PATSY	Patient ID: 44032
Reg. Name: PATSY	Registration Num:
PennHIP Num: 192771	Microchip Num: 981020041626768
Species: Canine	Breed: GOLDEENODDLE CROSS
Date of Birth: 04 Jun 2021	Age: 26 months
Sex: Female	Weight: 57 lbs/25.9 kgs
Date of Study: 21 Aug 2023	Date Submitted: 21 Aug 2023
Date of Report: 21 Aug 2023	

Findings

Distraction Index (DI): Right DI = 0.54, Left DI = 0.47.
 Osteoarthritis (OA): **No radiographic evidence of OA for either hip.**
 Cavitation/Other Findings: No cavitation present.

Interpretation

Distraction Index (DI): The laxity ranking is based on the hip with the greater laxity (larger DI). In this case the DI used is 0.54.
 OA Risk Category: The DI is between 0.50 and 0.69. This patient is at moderate risk for hip OA.
 Distraction Index Chart:



BREED STATISTICS: This interpretation is based on a cross-section of 3357 canine patients of the GOLDENDOODLE CROSS breed in the AIS PennHIP database. The gray strip represents the central 90% range of DIs (0.31 - 0.74) for the breed. The breed average DI is 0.49 (solid square). The patient DI is the solid circle (0.54).

SUMMARY: The degree of laxity (DI = 0.54) falls within the central 90% range of DIs for the breed. This amount of hip laxity places the hip at a moderate risk to develop hip OA. **No radiographic evidence of OA for either hip.**

